



**D'AVINCI**  
*security products*

*The most advanced wireless security system  
completely **Made in Italy**.*

# CATALOGUE 2026



*Made in Italy*

# THE ITALIAN GENIO AT THE SERVICE OF SAFETY

D'AVINCI is the **advanced**, completely wireless security system created by the **Italian anti-intrusion masters**.

The **D'AVINCI** anti-theft system was born in **Italy**. **Italian technology** and **design** have their roots in a history of ancient **inventiveness** and **creativity**.

## ••• GENIO *The innovative radio protocol*

The **thirty years experience** gained by the founders of the **D'AVINCI** system in radio telecommunications systems, together with the knowledge of digital and security techniques, has allowed us to obtain high standards of **speed**, **efficiency** and **reliability**.

The **GENIO D'AVINCI PROTOCOL** allows connections between the control panel and the system's peripheral devices, guaranteeing **speed** and **security**, on 868 MHz band frequencies.

### SAFETY

Communications encrypted using a proprietary algorithm

### BIDIRECTIONALITY

Two-way radio communications

### PROTECTION

Automatic free channel search

### CAPACITY

Up to 200 connectable devices

### HIGH RADIO RANGE

Up to 1500 meters

### RANGE EXTENSION

Up to more than 3000 meters

### BATTERY AUTONOMY

Energy saving system



## Lisa

Wireless Control  
Panel 868 MHz

**CODE D1.001**  
**PRICE € 599,00**

## LisanW

Wireless Control Panel 868 MHz  
without WIFI module

**CODE D1.002**  
**PRICE € 495,00**

Wireless alarm control panel 868 MHz built on GENIO radio communication protocol, with 4G LTE communicator, WIFI + Ethernet and integrated video module.

User management and technical parameter programming through D'AVINCI App via D'AVINCI Cloud with device pairing by QR Code scanning.

- Power supply 230 Vac or 12 Vdc
- **Built-in** rechargeable **backup battery**
- **Elegant and modern design** ABS container and functioning signalling LEDs
- **Easy-fix** mounting bracket for a **quick installing**
- **Video sensor** management
- Up to **200 connectable wireless devices**, up to **200 users**
- Up to **5 connectable repeaters**
- **Alarm signallings** through **notification** on the D'AVINCI App and through **Speech/SMS** via cellular network



1 Lisa + 1 Globo + 1 Nibbio + 1 Evo

**CODE D6.001 | PRICE € 739,00**

1 Lisa nW + 1 Globo + 1 Nibbio + 1 Evo

**CODE D6.002 | PRICE € 630,00**

# Globo

Wireless indoor volumetric  
**infrared** detector 868 MHz

**CODE D2.003**  
**PRICE € 95,00**

- Range up to **12 meters**
- Fresnel lens with **9 horizontal beams** for 90° and **4 vertical beams**
- **Antimask** active on IR for lens blinding
- Anti-tampering and **anti-opening**
- Immune **PET** function
- **Two-level** programmable detection sensitivity
- Optional **joint** for **wall** or **ceiling** installation
- **Easy-fix** mounting bracket for a quick installing
- Battery: CR123A - 3V **included**
- Battery life **up to 5 years**
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App** via Cloud, device pairing with **QR code scanning**

# Globo+

Wireless indoor **DT (IR + MW)**  
volumetric detector 868 MHz

**CODE D2.004**  
**PRICE € 139,00**



## Optional joint

**CODE D2.020**  
**PRICE € 9,90**





# Nibbio

Wireless indoor **opening detector**  
for doors and windows

## CODE

**NIBBIO WHITE D2.007**

**NIBBIO BLACK D2.017**

**PRICE € 65,00**

# Nibbio+

Wireless indoor **impact/opening detector**,  
for doors and windows and **inclinometer**


## CODE

**NIBBIO+ WHITE D2.008**

**NIBBIO+ BLACK D2.018**

**PRICE € 95,00**

- Input for external magnetic contact
- Input for auxiliary contact
- LED status indicator
- Anti-tampering and anti-opening
- Programmable sensitivity detection via App
- Easy-fix mounting bracket for quick installing
- Battery : CR123A - 3V included
- Two color variants: White or Black
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**,  
device pairing with **QR code scanning**



**CODE D1.005**  
**PRICE €75,00**

## Verso

**Wireless universal transmitter.** It allows you to associate third-party sensors, equipped with output contacts NC or NO to the **D'AVINCI** system. It transmits alarm, intrusion, fire, sos, panic, gas, malfunction, flooding and custom signals.

- ON/OFF button
- Signalling **LED indicator**
- Provides a 3.3 V supply voltage to the sensor
- Alarm and tamper terminal inputs

## EVO

Wireless remote control with 4 keys

- Active **LED** indicators and **command confirmation**
  - Preset arm/disarm keys
  - Configurable keys for **panic/robbery**
    - **GENIO** radio protocol
  - Battery CR2032 - 3V **included**
  - Parameter configuration through **D'AVINCI App via Cloud**



**CODE D4.004 | PRICE €65,00**

- Battery: 3 batteries CR123A - 3V **included**
- Dimensions: 96x39x24
- **GENIO** radio protocol

# Astro

Indoor curtain detector



Wireless **indoor DT (IR+MW)** detector with **curtain effect**. Ideal for perimeter protection of hallways, doors and windows.

- Range up to **12 meters 15°**
- Installation height **2.1 meters**
- **Antimask** active on IR for lens blinding
- **Two level IR configuration**, alarm signalling LED
- **MW sensitivity** programmable via **D'AVINCI App**
- **Anti-tampering** and **anti-opening**
- **Easy-fix** mounting bracket for quick installation
- Battery: CR123A - 3V **included**
- IP40
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device pairing with QR code scanning

CODE **D2.005**  
PRICE **€199,00**

# Velo

Indoor and outdoor wireless **DT curtain effect** detector **(IR + MW)** for doors and windows.

- Range up to **3 meters** (with installation height of 2.3 m)
- Horizontal installation on upper jamb, door and/or window
- **Antimask active on IR sensitivity** programmable by app
- **Anti-jammer, anti-tampering** and **anti-tear MEMS**
- **Easy-fix** mounting bracket for quick installation
- Battery : CR123A - 3V **included**
- IP55
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device pairing with QR code scanning

CODE **D2.013** | PRICE **€170,00**



Wireless **outdoor DT (2IR + MW)** curtain effect detector.  
Ideal for external perimeter protection of hallways, doors,  
windows and gates.

- Range up to **12 meters 15°**
- Installation height **2.1 meters**
- **Antimask** active on IR for lens blinding
- **Two level IR configuration**, alarm signalling LEDs
- MW sensitivity programmable by **D'AVINCI App**
- **Anti-tampering** and **anti-opening**
- **Easy-fix** mounting bracket for **easy installation**
- batteries: CR123A - 3V 2 included
- **Immune PET** function with 1.2 meter installation
- IP55
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**,  
device pairing with QR code scanning

**CODE D2.006**  
**PRICE € 255,00**



**Vitruvio**  
Outdoor curtain detector



# Atlantico

Wireless outdoor volumetric detector

Wireless outdoor **DT (2IR+MW) volumetric** detector. Ideal for the protection of outdoor areas such as gardens, terraces, garages, etc.

- Range up to **12 meters 90°**
- Installation height **1.2 meters**
- **Antimask** active on IR for lens blinding
- **Two level IR configuration**, alarm signalling leds
- MW sensitivity programmable by **D'AVINCI App**
- **Anti-tampering** and **anti-opening**
- **Easy-fix** mounting bracket for quick installation
- Batteries: CR123A - 3V 2 **included**
- **Immune PET function**
- **IP55**
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device pairing with QR code scanning

CODE **D2.002**  
PRICE **€ 299,00**

# Globo Cam

Indoor **volumetric IR** detector with integrated camera (automatic day/night) for **photo-verification** function. Installation height to 2.1 m.

**Antimask active on IR.** Fresnel lens: 4 vertical beams and 9 horizontal beams that cover up to 90°.

- Range up to **12 meters**
- It **sends photo-alarm on D'AVINCI App** (up to 5 images at 320 x 240 px; up to 3 images 640 x 480 px)
- **Anti-tampering** (anti-tear and anti-opening)
- **Immune PET function**
- Camera Viewing Angle: 92° Horizontal, 70° Vertical
- Infrared illuminator for night vision
- Power supply: 2 lithium batteries CR123A-3V
- Batteries life **up to 5 years**
- Dimensions 66x143x62 mm
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device pairing with **QR code scanning**



**CODE D2.010**  
**PRICE €219,00**



# Visus outdoor

CODE **D2.011**  
PRICE **€ 399,00**

Wireless outdoor volumetric **DT(2IR+MW+CAM)** video detector with integrated camera.  
Automatic day/night mode via IR-Cut filter.

**Video verification function:** it sends up to 5 **photoalarms** through **D'AVINCI App** and also on request (up to 5 images at 320 x 240 px; up to 3 images 640 x 480 px).

- Range up to **12 meters** adjustable via mechanical slider
- Viewing angle 110° in horizontal and 70° vertical
- Infrared illuminator for night vision
- **PIR anti-blinding**
- **Immune PET function**
- Batteries: CR123A - 3V 4 included
- **IP 55**
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device pairing with **QR code scanning**



## Dama outdoor

Outdoor wireless Siren

*Variations flashing:*

Red | CODE **D3.005** | PRICE **€239**  
Blue | CODE **D3.006** | PRICE **€239**

## Dama indoor

Indoor wireless Siren

**CODE D3.002**  
**PRICE €159,00**

- ABS container with **essential and elegant** aesthetic lines suitable for any environment
- **High efficiency** piezoelectric transducer
- **Anti-tampering** and **anti-opening**
- Status **LEDs** for switching on/off
- Auxiliary power input :12 V DC
- **Easy-fix** mounting bracket for quick installation
- Low battery notification via **D'AVINCI App**
- Battery life **up to 5 years**
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App** **via Cloud**, device pairing with QR code scanning

### DAMA OUTDOOR

- Sound power up to **112 dBA at 1 meter**
- High intensity red or blue flashing light
- Batteries: CR123A - 3V 4 included
- **IP55**

### DAMA INDOOR

- Sound power up to **100 dBA at 1 meter**
- Batteries: CR123A - 3V 2 included

Wireless soft touch + RFID keypad and pre-programmed function keys.

- Operating frequencies: 868.20 Mhz and 868.95 Mhz band
- **Tag transponder reader** 125kHz
- IP53 - IK07
- Power supply: 4 batteries AA Li-ion - 1.5 V
- Dimensions 110x160x27 mm
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device pairing with QR code scanning

White with white LEDs | **CODE D4.005** | **PRICE € 340,00**



ABS Proximity Tag with keyring  
**CODE D4.007** | **PRICE € 10,50**



Transponder isocard  
**CODE D4.008** | **PRICE € 8,50**



Transponder isocard with lanyard  
**CODE D4.009** | **PRICE € 10,50**



Idea

Touch wireless keypad with RFID key fob and card reader



CODE **D1.003**  
PRICE **€ 250,00**

# Automa

Wireless repeater with direct connection to **Lisa control panel** to **extend the radio range up to 3000 meters**.

Suitable for **video signal repetition**.

- Power supply 230 V AC or 12 V DC
- 3.7V battery - 3000 mAh
- **Multiple frequency** operation with free channel selection
- **Anti-tamper** and **anti-opening**
- **Easy-fix** mounting bracket for **quick installation**
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App** **via Cloud**, device pairing with QR code scanning



# Nichi 12/24

Wireless actuator module from 7 to 24 V DC.

CODE D5.002  
PRICE €95,00

# Nichi 220

Wireless actuator module 230 V AC.

CODE D5.004  
PRICE €95,00

Provides a configurable NC or NO clean contact relay to command any electrical equipment (solenoid lock, irrigation valves, etc.)

- Antenna
- Power supply Clamps
- Contact Clamps
- Signalling **LED indicator**
- Dimensions: 29x35x23 mm
- **GENIO** radio protocol

- Roller shutter position memory function (open/closed/regulated)
- It can be controlled locally and remotely through **app D'AVINCI** via simple functions and scenarios
  - Dimensions 51x57x18 mm
  - **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device pairing with QR code scanning



# Guelfa

Radio actuator module for shutters. 220V power supply, for up/down buttons and motor outputs, control circuit with interlock.

CODE D5.006  
PRICE €139,00



**D'AVINCI**  
*security products*

*Cutting-edge technology and design*

D'AVINCI Security Products Srl  
Via Antonio Tolomeo Trivulzio, 1  
20146 - Milano (MI)  
P.IVA 12908830966

[www.davincisecurity.eu](http://www.davincisecurity.eu)  
[info@davincisecurity.it](mailto:info@davincisecurity.it)  
Help Desk +39 080 321 00 09  
Cel +39 329 54 61 510